

**ELECTRICAL/ELECTRONICS  
ENGINEERING TECHNOLOGY  
(EET)  
BODY OF KNOWLEDGE**



| RUBRIC   |     |       | DESCRIPTION  |
|----------|-----|-------|--|
| <b>1</b> |     |       | <b>Basic Concepts of Electricity</b>                                   |
|          | 1.1 |       | Systems of Units and Notation  |
|          |     | 1.1.1 | Units Systems and Fundamental Units                                    |
|          |     | 1.1.2 | Standard Notation  |
|          |     | 1.1.3 | Significant digits and rounding  |
|          | 1.2 |       | Voltage and Current Concepts   |
|          |     | 1.2.1 | Voltage  |
|          |     | 1.2.2 | Current  |
|          | 1.3 |       | Conductors and Insulators  |
|          |     | 1.3.1 | Free and bound electronics   |
|          |     | 1.3.2 | Barriers and hindrances to charge movement                             |
|          |     | 1.3.3 | Relative conductivity – conductors vs. insulators vs. semiconductors   |
|          |     | 1.3.4 | Breakdown Voltage  |
|          | 1.4 |       | Resistivity, Resistance and Color Codes                                |
|          |     | 1.4.1 | Resistivity as a material property                                     |
|          |     | 1.4.2 | Resistance/conductance as device properties                            |
|          |     | 1.4.3 | Resistance combinations  |
|          |     | 1.4.4 | Color codes  |
|          |     | 1.4.5 | Resistor types   |
|          | 1.5 |       | Ohm's Law  |
|          |     | 1.5.1 | Linear V-I relationships   |
|          |     | 1.5.2 | Non-linear V-I relationships   |
|          |     | 1.5.3 | "DC" and "AC" resistance   |
|          | 1.6 |       | Capacitance, Capacitors and Markings                                   |
|          |     | 1.6.1 | Charge separation and storage  |
|          |     | 1.6.2 | Definition of capacitance  |
|          |     | 1.6.3 | Device capacitance   |
|          |     | 1.6.4 | Parallel and series capacitance combinations                           |
|          |     | 1.6.5 | Capacitor types  |
|          |     | 1.6.6 | Markings and standard values   |
|          | 1.7 |       | Inductance, inductors and markings                                     |
|          |     | 1.7.1 | Current and magnetic flux  |
|          |     | 1.7.2 | Definition of inductance   |
|          |     | 1.7.3 | Device Inductance  |
|          |     | 1.7.4 | Parallel and series inductance combinations                            |
|          |     | 1.7.5 | Inductor types and usage   |
|          |     | 1.7.6 | Markings and standard values   |
|          | 1.8 |       | Power and Energy   |
|          |     | 1.8.1 | Units  |
|          |     | 1.8.2 | Power dissipation/calculation in resistors                             |
|          |     | 1.8.3 | Energy storage in capacitors and inductors                             |
|          | 1.9 |       | Usage of Basic Electrical/Electronic Test Equipment                    |
|          |     | 1.9.1 | Voltmeters and ammeters  |
|          |     | 1.9.2 | Power supplies   |
|          |     | 1.9.3 | Oscilloscopes  |
| <b>2</b> |     |       | <b>Alternating Current (AC) Circuit Concepts</b>                       |
|          | 2.1 |       | Sinusoidal Concepts  |
|          |     | 2.1.1 | Basics of periodic signals (amplitude, frequency, period, phase shift) |
|          |     | 2.1.2 | Special nature of sinewaves and single-frequency sinewave systems      |
|          |     | 2.1.3 | Key trigonometric relationships  |
|          |     | 2.1.4 | Average and 'effective (rms)' values                                   |
|          |     | 2.1.5 | Standard symbols   |
|          | 2.2 |       | Capacitance and Capacitors   |

| RUBRIC   |        | DESCRIPTION  |
|----------|--------|--|
|          | 2.2.1  | Fundamentals   |
|          | 2.2.2  | Frequency effects on operation   |
| 2.3      |        | Inductance and Inductors   |
|          | 2.3.1  | Fundamentals   |
|          | 2.3.2  | Frequency effects on operation   |
| 2.4      |        | Energy Consumption and Storage   |
|          | 2.4.1  | Power consumption in resistors   |
|          | 2.4.2  | Energy storage/release in capacitors and inductors                               |
| 2.5      |        | Capacitive and Inductive Reactance   |
|          | 2.5.1  | $v_c(t) - v_L(t) - i_L(t)$ relationships in single-frequency sinusoidal circuits |
|          | 2.5.2  | AC reactance/susceptance definitions   |
|          | 2.5.3  | Reactance equations for $L_s$ and $C_s$  |
|          | 2.5.4  | Series and parallel reactance combinations                                       |
| 2.6      |        | AC impedance/admittance  |
|          | 2.6.1  | Standard symbols   |
|          | 2.6.2  | Relationships: $Z$ to $Y$ ; $X$ to $B$ ; $R$ to $G$                              |
|          | 2.6.3  | Complex impedance concepts   |
|          | 2.6.4  | Equivalent $Z/Y$ for series, parallel and series-parallel mixed impedances       |
| 2.7      |        | Phase Relationships  |
|          | 2.7.1  | Fundamental $v(t) - i(t)$ phase shift for $R_s$ , $L_s$ , and $C_s$              |
|          | 2.7.2  | “Lead/Lag” terminology and conventions   |
|          | 2.7.3  | $v(t) - i(t)$ phase relationship and complex impedance angle                     |
| 2.8      |        | Simplified RC and RL Transients  |
|          | 2.8.1  | Generalized exponential response   |
|          | 2.8.2  | Constraining equations   |
|          | 2.8.3  | Circuit time constants   |
|          | 2.8.4  | Equations  |
|          | 2.8.5  | Time to steady-state   |
|          | 2.8.6  | Rise-time  |
| 2.9      |        | Complex Numbers and Phasors  |
|          | 2.9.1  | Plotting AC impedance on a complex plane   |
|          | 2.9.2  | Relationship of complex operation “ $j$ ” and phase angle                        |
|          | 2.9.3  | Basic math operations with complex numbers                                       |
|          | 2.9.4  | Relationship between complex plane and phasors                                   |
|          | 2.9.5  | Application of KVL and KCL to phasor diagrams                                    |
|          | 2.9.6  | Choice of “reference” phasor   |
|          | 2.9.7  | “Graphical” additions/subtraction of phasors                                     |
| 2.10     |        | AC Power, Power Factor and Power Triangle  |
|          | 2.10.1 | Generalized instantaneous AC power equation                                      |
|          | 2.10.2 | Definition of real, reactive and apparent power terms                            |
|          | 2.10.3 | Reactive power sign conventions & general equation for apparent power            |
|          | 2.10.4 | General complex-number equation for apparent power                               |
|          | 2.10.5 | Power triangle representation of $P$ , $Q$ and $S$                               |
| 2.11     |        | Maximum Power Transfer   |
|          | 2.11.1 | Maximum power in purely resistive circuits                                       |
|          | 2.11.2 | Maximum power circuits with complex impedances                                   |
|          | 2.11.3 | Relationship to circuit efficiency   |
| 2.12     |        | Series and Parallel Resonance  |
|          | 2.12.1 | Basic definitions  |
|          | 2.12.2 | Resonance requirement – $Q_C$ and $Q_L$  |
|          | 2.12.3 | Series resonant circuits   |
|          | 2.12.4 | Parallel resonant circuits   |
| <b>3</b> |        | <b>Basic Circuit Analysis Methods</b>  |

| RUBRIC   |     |       | DESCRIPTION                                     |
|----------|-----|-------|---|
|          |     | 3.1   | Series, Parallel and Series-Parallel Circuits   |
|          |     | 3.2   | Ideal and Practical Source Models               |
|          |     | 3.3   | Kirchhoff's Laws                                |
|          |     | 3.4   | Voltage and Current Divider Rules               |
|          |     | 3.5   | Mesh Current Analysis                           |
|          |     | 3.6   | Node Voltage Analysis                           |
|          |     | 3.7   | Thevenin and Norton Theorems                    |
|          |     | 3.8   | Source Conversions                              |
|          |     | 3.9   | Superposition                                   |
|          |     | 3.1   | Bridge and Ladder Networks                      |
|          |     | 3.11  | Y- $\Delta$ and $\Delta$ -Y Conversions         |
|          |     | 3.12  | Schematic Entry and Simulation                  |
| <b>4</b> |     |       | <b>Digital Electronics</b>                      |
|          | 4.1 |       | Numbering Systems and Codes                     |
|          |     | 4.1.1 | Binary-to-Decimal Conversions                   |
|          |     | 4.1.2 | Decimal-to-Binary Conversions                   |
|          |     | 4.1.3 | Hexadecimal Number System Conversions           |
|          |     | 4.1.4 | BCD Code  |
|          |     | 4.1.5 | Gray Code                                       |
|          |     | 4.1.6 | Byte, Nibble, and Word                          |
|          |     | 4.1.7 | ASCII Code                                      |
|          |     | 4.1.8 | Parity—Odd, Even, None, Error Detection         |
|          | 4.2 |       | Boolean Algebra and Logic Operations            |
|          |     | 4.2.1 | Boolean Math                                    |
|          |     | 4.2.2 | Constants                                       |
|          |     | 4.2.3 | Variables                                       |
|          |     | 4.2.4 | Logic Operators                                 |
|          |     | 4.2.5 | Equations                                       |
|          | 4.3 |       | Logic Gates and Standard Symbols                |
|          |     | 4.3.1 | AND Gate  |
|          |     | 4.3.2 | OR Gate   |
|          |     | 4.3.3 | NOT Gate  |
|          |     | 4.3.4 | Exclusive OR (XOR)                              |
|          |     | 4.3.5 | NAND  |
|          |     | 4.3.6 | NOR   |
|          | 4.4 |       | Combinational Logic                             |
|          |     | 4.4.1 | Sum-Of-Products Form (SOP)                      |
|          |     | 4.4.2 | Product-Of-Sum Form (POS)                       |
|          |     | 4.4.3 | Designing Combinatorial Logic Circuits          |
|          |     | 4.4.4 | Exclusive OR Circuits                           |
|          |     | 4.4.5 | Karnaugh Maps                                   |
|          |     | 4.4.6 | Circuits<to>Equations<to>Truth Tables           |
|          | 4.5 |       | Latches and Flip-Flops                          |
|          |     | 4.5.1 | Gate Based (Truth Table and Waveform Responses) |
|          |     | 4.5.2 | D Latch   |
|          |     | 4.5.3 | Flip-Flop Timing                                |
|          |     | 4.5.4 | Monostable                                      |
|          |     | 4.5.5 | Astable   |
|          | 4.6 |       | Clocked Circuits and Sequential Logic           |
|          |     | 4.6.1 | Clock Signals, Edge Triggered                   |
|          | 4.7 |       | Counters and Registers                          |
|          |     | 4.7.1 | Asynchronous counters (ripple)                  |
|          |     | 4.7.2 | Synchronous Counters                            |

| RUBRIC |        | DESCRIPTION  |
|--------|--------|--|
|        | 4.7.3  | Simple IC Counter Chips  |
|        | 4.7.4  | Cascade Counters   |
|        | 4.7.5  | Parallel Shift Registers (schematics, timing, truth tables, waveforms) |
|        | 4.7.6  | Serial Shift Registers (schematics, timing, truth tables, waveforms)   |
|        | 4.7.7  | Bi-Directional Shift Registers   |
|        | 4.7.8  | ?  |
|        | 4.7.9  | Modulo Counters  |
| 4.8    |        | Arithmetic Operations and Circuits                                     |
|        | 4.8.1  | Binary Math Operations   |
|        | 4.8.2  | Implementation of Adders   |
|        | 4.8.3  | ALUs   |
|        | 4.8.4  | Comparators: =< >  |
| 4.9    |        | Analog-Digital Interfaces (A-D and D-A Circuits)                       |
|        | 4.9.1  | Digital-to-Analog Conversion   |
|        | 4.9.2  | Analog-to-Digital Conversion   |
|        | 4.9.3  | ADC Specs  |
|        | 4.9.4  | Enhanced Types   |
|        | 4.10   | Programmable Devices (PLDs, FPGAs, etc.)                               |
|        | 4.10.1 | PLD Architectures  |
|        | 4.10.2 | GALs (16V8)  |
|        | 4.10.3 | CPLDs  |
|        | 4.10.4 | FPGA   |
|        | 4.10.5 | JTAG Interfacing   |
| 4.11   |        | Encoders, Decoders and Multiplexers                                    |
|        | 4.11.1 | Decoders   |
|        | 4.11.2 | Encoders   |
|        | 4.11.3 | Multiplexers: IC   |
|        | 4.11.4 | De-Multiplexers  |
| 4.12   |        | IC Families  |
|        | 4.12.1 | Key Parameters   |
|        | 4.12.2 | Major Families   |
| 4.13   |        | Descriptive Languages and Programming                                  |
|        | 4.13.1 | VHDL vs AHDL   |
|        | 4.13.2 | VHDL vs Programming Languages  |
| 4.14   |        | RTL Simulation   |
| 4.15   |        | HDL Synthesis  |
|        | 4.15.1 | Syntax   |
|        | 4.15.2 | Functions  |
|        | 4.15.3 | Simulations  |
| 4.16   |        | FPGA and ASIC Processes  |
| 4.17   |        | FPGA Core/Base and ASIC Specialty/Advanced                             |
| 4.18   |        | Signal Condition   |
|        | 4.18.1 | Op Amps  |
|        | 4.18.2 | Inverting and Non-Inverting  |
|        | 4.18.3 | Follower   |
|        | 4.18.4 | Opto-Isolators   |
|        | 4.18.5 | Filters: Bandpass, Low Pass  |
|        | 4.18.6 | Sampling   |
| 4.19   |        | Schematic Capture/Layout   |
|        | 4.19.1 | Schematics   |
|        | 4.19.2 | Simulation   |
|        | 4.19.3 | Net lists  |
|        | 4.19.4 | PCB Layout   |

| RUBRIC   |      |        | DESCRIPTION  |
|----------|------|--------|--|
|          | 4.20 |        | Memory   |
|          |      | 4.20.1 | Memory characteristics                                   |
| <b>5</b> |      |        | <b>Analog Electronics</b>                                |
|          | 5.1  |        | Semiconductor Theory                                     |
|          |      | 5.1.1  | Atomic Structure and Covalent Bonding                    |
|          |      | 5.1.2  | Doping   |
|          |      | 5.1.3  | The P-N Junction   |
|          | 5.2  |        | The Semiconductor Diode                                  |
|          |      | 5.2.1  | Biasing the P-N Junction                                 |
|          |      | 5.2.2  | Diode Characteristics (including Zeners and LEDs)        |
|          | 5.3  |        | Voltage Rectification and Regulation Concepts            |
|          |      | 5.3.1  | Rectifier Circuits                                       |
|          |      | 5.3.2  | Filters  |
|          |      | 5.3.3  | Semiconductor (IC) Voltage Regulators                    |
|          | 5.4  |        | The Bipolar Junction Transistor                          |
|          |      | 5.4.1  | NPN and PNP Structures                                   |
|          |      | 5.4.2  | Biasing the BJT  |
|          |      | 5.4.3  | Basic BJT Linear Amplifiers                              |
|          |      | 5.4.4  | The BJT as a switch                                      |
|          |      | 5.4.5  | The BJT as a simple current amplifier                    |
|          | 5.5  |        | The Field Effect Transistor                              |
|          |      | 5.5.1  | JFET structure and characteristics                       |
|          |      | 5.5.2  | MOSFET structures and characteristics                    |
|          |      | 5.5.3  | FET biasing  |
|          |      | 5.5.4  | FET linear amplifiers                                    |
|          |      | 5.5.5  | FET switching circuits                                   |
|          | 5.6  |        | Discrete-Device Amplifier Concepts, Design and Operation |
|          |      | 5.6.1  | Gain   |
|          |      | 5.6.2  | Loading  |
|          |      | 5.6.3  | Frequency Considerations                                 |
|          |      | 5.6.4  | Coupling   |
|          |      | 5.6.5  | Amplifier Classes  |
|          | 5.7  |        | Differential Amplifiers                                  |
|          |      | 5.7.1  | Gain   |
|          |      | 5.7.2  | Input impedance  |
|          | 5.8  |        | Ideal Operational Amplifiers                             |
|          |      | 5.8.1  | Basic characteristics                                    |
|          |      | 5.8.2  | Open loop response                                       |
|          |      | 5.8.3  | Closed loop response                                     |
|          |      | 5.8.4  | Feedback concepts  |
|          | 5.9  |        | Actual Operational Amplifiers                            |
|          |      | 5.9.1  | Op-Amp Characteristics                                   |
|          |      | 5.9.2  | Specifications   |
|          |      | 5.9.3  | Limitations  |
|          | 5.10 |        | Basic Operational Amplifier Circuits                     |
|          |      | 5.10.1 | Inverting and Non-Inverting Configurations               |
|          |      | 5.10.2 | Basic Comparators  |
|          |      | 5.10.3 | Summing Amplifiers                                       |
|          | 5.11 |        | Advanced Operational Amplifier Circuits                  |
|          |      | 5.11.1 | Integrators  |
|          |      | 5.11.2 | Differentiators  |
|          |      | 5.11.3 | Feedback Oscillators                                     |
|          |      | 5.11.4 | Active Filters   |

| RUBRIC   |      |        | DESCRIPTION                                 |
|----------|------|--------|---|
|          |      | 5.11.5 | A-D and D-A Converters                      |
|          | 5.12 |        | Special Purpose Amplifiers                  |
|          |      | 5.12.1 | Instrumentation Amplifiers                  |
|          |      | 5.12.2 | Isolation Amplifiers                        |
|          |      | 5.12.3 | Transconductance Amplifiers                 |
|          | 5.13 |        | Frequency Response                          |
|          |      | 5.13.1 | Midband Gain                                |
|          |      | 5.13.2 | Critical Frequencies and Bandwidth          |
|          |      | 5.13.3 | Logarithms and Decibels                     |
|          |      | 5.13.4 | Bode Plots                                  |
|          |      | 5.13.5 | Stability                                   |
|          |      | 5.13.6 | Internal and External Compensation          |
|          | 5.14 |        | Precision Diode Circuits                    |
|          |      | 5.14.1 | Clippers                                    |
|          |      | 5.14.2 | Clampers                                    |
|          |      | 5.14.3 | Limiters                                    |
|          |      | 5.14.4 | Peak detectors                              |
|          |      | 5.14.5 | Rectifiers                                  |
|          |      | 5.14.6 | Wave shaping circuits                       |
|          | 5.15 |        | Advanced Devices                            |
|          |      | 5.15.1 | SCR and SCR Circuits                        |
|          |      | 5.15.2 | Diac and Triac Circuits                     |
|          |      | 5.15.3 | The UJT                                     |
|          | 5.16 |        | Advanced Linear Amplifier Concepts          |
|          |      | 5.16.1 | The Current Mirror                          |
|          |      | 5.16.2 | Active Loading                              |
|          | 5.17 |        | Power Supply and Regulator Circuits         |
|          |      | 5.17.1 | Series Voltage Regulation                   |
|          |      | 5.17.2 | Shunt Voltage Regulation                    |
|          |      | 5.17.3 | Switching Regulators                        |
|          | 5.18 |        | Timers and Relaxation Oscillators           |
|          |      | 5.18.1 | Astable Circuits                            |
|          |      | 5.18.2 | Monostable Circuits                         |
| <b>6</b> |      |        | <b>Microcontrollers and Microprocessors</b> |
|          | 6.1  |        | <i>Data representation</i>                  |
|          |      | 6.1.1  | Binary number system                        |
|          |      | 6.1.2  | Hexadecimal number system                   |
|          |      | 6.1.3  | Hex/Decimal/Binary conversions              |
|          | 6.2  |        | Computer Arithmetic Functions               |
|          |      | 6.2.1  | Binary addition                             |
|          |      | 6.2.2  | Binary subtraction                          |
|          |      | 6.2.3  | Binary multiplication                       |
|          |      | 6.2.4  | Binary division                             |
|          |      | 6.2.5  | Hexadecimal division                        |
|          | 6.3  |        | CISC/RISC architectures                     |
|          | 6.4  |        | Basic Machine Architectures                 |
|          |      | 6.4.1  | ALU   |
|          |      | 6.4.2  | Instruction Pointer                         |
|          |      | 6.4.3  | Control unit                                |
|          |      | 6.4.4  | Address bus                                 |
|          |      | 6.4.5  | Data bus                                    |
|          |      | 6.4.6  | Register sets                               |
|          | 6.5  |        | CPU execution cycle                         |

| RUBRIC |        | DESCRIPTION                                |
|--------|--------|--|
|        | 6.5.1  | Instruction fetch                          |
|        | 6.5.2  | Instruction decode                         |
|        | 6.5.3  | Execute                                    |
|        | 6.5.4  | Pipelining                                 |
| 6.6    |        | Stack based architectures                  |
|        | 6.6.1  | Stack registers                            |
|        | 6.6.2  | Stack frame                                |
| 6.7    |        | Device Architecture, Memory and I/O        |
|        | 6.7.1  | Read only memory                           |
|        | 6.7.2  | Random access memory                       |
|        | 6.7.3  | IO Ports                                   |
|        | 6.7.4  | Memory hierarchy (speed vs. cost)          |
| 6.8    |        | Programming Basics                         |
|        | 6.8.1  | Interpreted vs. compiled programs          |
|        | 6.8.2  | Assembly language                          |
|        | 6.8.3  | Hi-Level languages                         |
| 6.9    |        | Loops, Branching, Jumps and Subroutines    |
|        | 6.9.1  | IF-THEN-ELSE constructs                    |
|        | 6.9.2  | For and While loops                        |
|        | 6.9.3  | Do-While loops                             |
|        | 6.9.4  | Stack manipulation                         |
|        | 6.9.5  | Subroutines                                |
| 6.1    |        | Timing, Control, Polling and Sensing       |
| 6.11   |        | Basic Math Programming                     |
|        | 6.11.1 | Number formats and representation          |
| 6.12   |        | Serial and Parallel Ports and I/O          |
|        | 6.12.1 | Data transmission rates                    |
|        | 6.12.2 | UARTs                                      |
|        | 6.12.3 | Data transmission and handshaking          |
|        | 6.12.4 | Modems                                     |
| 6.13   |        | Interrupts                                 |
|        | 6.13.1 | Interrupt architecture                     |
|        | 6.13.2 | Interrupt service routines                 |
|        | 6.13.3 | Exceptions                                 |
|        | 6.13.4 | Exception handlers                         |
| 6.14   |        | Assembly Language                          |
|        | 6.14.1 | Instruction set architectures              |
| 6.15   |        | Bus Cycle Analysis                         |
|        | 6.15.1 | Instruction fetch cycle                    |
|        | 6.15.2 | Memory access                              |
| 6.16   |        | Bus-Level Timing Analysis                  |
|        | 6.16.1 | Data/Address multiplexing                  |
|        | 6.16.2 | Basic control signals                      |
|        | 6.16.3 | Direct Memory Access (DMA)                 |
| 6.17   |        | Cache Architecture Analysis                |
|        | 6.17.1 | Principle of temporal and spatial locality |
|        | 6.17.2 | Instruction and Data cache                 |
|        | 6.17.3 | Multi-Level cache memory                   |
|        | 6.17.4 | Cache lookup strategies                    |
|        | 6.17.5 | Cache update policies                      |
| 6.18   |        | System Performance (CMA, Bus Size, FIFO)   |
| 6.19   |        | 8/16/32 Bit Addressing and Data Storage    |
|        | 6.19.1 | Addressing Concepts and Modes              |



| RUBRIC   |        | DESCRIPTION  |
|----------|--------|--|
|          | 6.19.2 | Machine word sizes and formats   |
|          | 6.20   | Advanced Programming Topics  |
|          | 6.20.1 | Data Structures  |
|          | 6.20.2 | Advanced Topics (recursion, sorting/searching, multitasking, communications, bus structures, etc.) |
| <b>7</b> |        | Instrumentation and Measurements   |
|          | 7.1    | Measurement Parameters   |
|          | 7.1.1  | Accuracy   |
|          | 7.1.2  | Precision  |
|          | 7.1.3  | Difference between accuracy and precision and the significance                                     |
|          | 7.1.4  | Percent error  |
|          | 7.2    | Errors   |
|          | 7.2.1  | Systematic or bias errors  |
|          | 7.2.2  | Random errors  |
|          | 7.2.3  | Reduction of random errors by averaging  |
|          | 7.3    | Roundoff Strategies  |
|          | 7.3.1  | Significant digits   |
|          | 7.3.2  | Addition and subtraction rules for significant digits  |
|          | 7.3.3  | Multiplication and division rules for significant digits   |
|          | 7.4    | Statistical Measures of Data   |
|          | 7.4.1  | Mean   |
|          | 7.4.2  | Mean-square  |
|          | 7.4.3  | Root-mean-square (rms)   |
|          | 7.4.4  | Variance   |
|          | 7.4.5  | Standard deviation   |
|          | 7.5    | Basic Passive DC Instruments   |
|          | 7.5.1  | D'Arsonval galvanometer dc ammeter   |
|          | 7.5.2  | DC voltmeter derived from dc ammeter   |
|          | 7.5.3  | Ohmmeter derived from dc ammeter   |
|          | 7.6    | Alternating Current (AC) Instruments   |
|          | 7.6.1  | Rectifier type AC instruments  |
|          | 7.6.2  | Peak and Peak-to-Peak AC instruments   |
|          | 7.6.3  | True RMS instruments   |
|          | 7.7    | Multimeters  |
|          | 7.7.1  | Analog types   |
|          | 7.7.2  | Digital types  |
|          | 7.8    | Important Specifications of All Instruments  |
|          | 7.8.1  | Accuracy and Precision   |
|          | 7.8.2  | Frequency Response   |
|          | 7.8.3  | Input Impedance of Voltmeters  |
|          | 7.9    | Oscilloscopes  |
|          | 7.9.1  | Classifications  |
|          | 7.10   | Oscilloscope Specifications and Measurements   |
|          | 7.10.1 | Rise time and bandwidth  |
|          | 7.10.2 | DC coupling and AC coupling and their applications   |
|          | 7.10.3 | Probes and their compensation circuits   |
|          | 7.10.4 | Rise-time & propagation delay measurements   |
|          | 7.11   | Frequency Response Measurements  |
|          | 7.11.1 | Amplitude response measurement   |
|          | 7.11.2 | Phase response measurement   |
|          | 7.12   | Spectrum Measurements  |
|          | 7.12.1 | Fourier series and spectral displays   |
|          | 7.12.2 | Frequency selective voltmeters (analog forms)  |

| RUBRIC   |      |        | DESCRIPTION   |
|----------|------|--------|---|
|          |      | 7.12.3 | Spectrum analyzers (including FFT digital forms)                  |
|          |      | 7.12.4 | Relationship between record length, sampling time, and resolution |
|          | 7.13 |        | Miscellaneous Electrical/Electronic Instruments                   |
|          |      | 7.13.1 | Bridge circuits   |
|          |      | 7.13.2 | Capacitance and inductance measurement circuits                   |
|          |      | 7.13.3 | Frequency and phase measurements                                  |
|          |      | 7.13.4 | Q-Meters  |
|          |      | 7.13.5 | Time domain reflectometers  |
|          |      | 7.13.6 | Wattmeters  |
|          |      | 7.13.7 | Stroboscopes  |
|          | 7.14 |        | Miscellaneous Measurement Devices and Systems                     |
|          |      | 7.14.1 | Temperature measuring systems                                     |
|          |      | 7.14.2 | Pressure measurement systems                                      |
|          |      | 7.14.3 | Flow measurement systems  |
|          |      | 7.14.4 | Strain/force measurement systems                                  |
| <b>8</b> |      |        | <b>Practical Laboratory Skills</b>                                |
|          | 8.1  |        | Circuit Prototyping   |
|          |      | 8.1.1  | Breadboards   |
|          |      | 8.1.2  | Layout  |
|          |      | 8.1.3  | Component Concerns  |
|          | 8.2  |        | Basic Soldering   |
|          |      | 8.2.1  | Tools   |
|          |      | 8.2.2  | Safety  |
|          |      | 8.2.3  | Concerns  |
|          |      | 8.2.4  | Advanced  |
|          | 8.3  |        | Use of Basic Analog and Digital Meters                            |
|          |      | 8.3.1  | Resistance Measurements   |
|          |      | 8.3.2  | Voltage Measurements  |
|          |      | 8.3.3  | Current Measurements  |
|          |      | 8.3.4  | AC Measurements: RMS, Vp, Vpp                                     |
|          |      | 8.3.5  | Frequency Measurements  |
|          |      | 8.3.6  | LCR Measurements  |
|          |      | 8.3.7  | Bridge Circuit Basics   |
|          |      | 8.3.8  | Capacitors  |
|          |      | 8.3.9  | Inductor  |
|          |      | 8.3.10 | Digital Logic Probes  |
|          |      | 8.3.11 | Power Measurements  |
|          |      | 8.3.12 | Wattmeter   |
|          |      | 8.3.13 | KwHr meter  |
|          |      | 8.3.14 | Power Factor  |
|          | 8.4  |        | Use of Digital Oscilloscope                                       |
|          |      | 8.4.1  | Waveform measurements: Oscilloscope                               |
|          | 8.5  |        | Use of Spectrum Analyzer  |
|          | 8.6  |        | Use of Digital Circuit Analyzer                                   |

| RUBRIC |     |  | DESCRIPTION                                |
|--------|-----|--|--|
|        | 8.7 |  | Use of Electronic Data Acquisition Devices |